

# BendSci Base 2120091

FARM BILL  
COMPLIANT



**TOTAL  
CBD**

**361.1**  
MG PER SERVING

**TOTAL  
D9-THC**

**0.0978**  
MG PER SERVING

**TOTAL  
CANNABINOIDS**

**371.0**  
MG PER SERVING

SAMPLE ID  
**252215**

SAMPLE NAME  
**Canine Support Formula**

MATRIX  
**Tincture**

BATCH ID  
**2120091**

COLLECTED, RECEIVED  
**09/30/2020 11:49, 09/30/2020 11:49**

SERVING SIZE, SERVINGS PER PACKAGE  
**1, 1**

DENSITY  
**0.9388 g/ml**

CULTIVATOR INFO  
**K9 Medibles**



Indicates that the hemp product passes some of the strictest testing standards available for cannabis and hemp.



 **CANNABINOID ANALYSIS**

TOTAL THC: 1.408 mg per serving (0.0978 mg/mL) (0.0104 %), 1.41 mg per package  
TOTAL CBD: 361.1 mg per serving (25.08 mg/mL) (2.671 %), 361.15 mg per package  
TOTAL CANNABINOIDS: 371.0 mg per serving (25.76 mg/mL) (2.744 %)

UNIT OF MEASUREMENT: Milligrams per Milliliter(mg/mL)

ANALYTE	RESULT	LOD	LLOQ	ANALYTE	RESULT	LOD	LLOQ
THCa	ND	0.0200	0.0400	CBDv	ND	0.0200	0.0400
D9THC	0.0978 mg/mL (0.0104 %)	0.0200	0.0400	CBGa	0.4539 mg/mL (0.0484 %)	0.0200	0.0400
D8THC	ND	0.0200	0.0400	CBG	0.1334 mg/mL (0.0142 %)	0.0200	0.0400
THCv	ND	0.0200	0.0400	CBN	ND	0.0200	0.0400
CBDa	16.66 mg/mL (1.774 %)	0.0200	0.0400	CBC	ND	0.0200	0.0400
CBD	8.422 mg/mL (0.8971 %)	0.0200	0.0400				

**ADDITIONAL INFORMATION**

Method: SOP-TECH-001  
Instrument: UPLC-DAD

Sample Prepped: 09/30/2020 15:12  
Sample Analyzed: 09/30/2020 15:48

Sample Approved: 10/01/2020 15:59  
Prep-Analytical Batch: 21604-16578

This report applies to the sample investigated and is not necessarily indicative of the quality or condition of apparently identical or similar products. This report provides technical results for a specific sample and the report shall not be altered, modified, supplemented, or abstracted in any manner. Any violation of these conditions renders the report and its results void.

All LQC samples required by state regulations were performed and met the acceptance criteria.

**THIS COA WAS REVIEWED AND APPROVED ON 10/02/2020 IN ACCORDANCE WITH REGULATORY REQUIREMENTS**



Kathryn Riker  
Quality Control Manager

